FL-710



OUTDOOR LIGHTING LUMINAIRE

The **FL-710** is an outdoor LED accent light with multiple beam and shroud options. It can rotate 360° and can be tilted 180° allowing for a more precise lighting scheme. Various accessories are available for different mounting options. Made of die-cast aluminum, it is extremely durable to ensure a longer lifetime. Its optimized heat dissipation allows the luminaire to be operated in extended lengths of time. Suitable for outdoor lighting such as building facades, gardens, lawns, tree accent lighting, and common outdoor areas.



SPECIFICATIONS

INPUT VOLTAGE 120V AC
WATTAGE 4W/ 6W/ 8W
DIMMING TRIAC Dimming
LUMEN OUTPUT 70Lm/ W

HOUSINGDie-cast AluminumFRONT COVERTempered GlassFINISH TYPEPowder Coating

DRIVER TYPE Constant Current (Built-In)

AMBIENT TEMPERATURE -20 ~ 45°C (-4 ~ 113°F)

IP RATING IP65
CERTIFICATIONS ETL

FEATURES

- · 120V AC (No Transformer Needed)
- · TRIAC Dimming
- · Available in 4W, 6W, and 8W
- · Multiple optic Options
- · 360° Rotate | 180° Tilt
- · Die-cast Aluminum Housing
- · IP65 Outdoor/ Wet Rated












MODEL	WATTS	COLOR TEMP	OPTICS	CRI	SHROUD	FINISH	ACCESSORIES	
FL-710	L1 4W L2 6W L3 8W	27K 2700K 30K 3000K 40K 4000K 50K 5000K	15 15° 25 25° 40 40° AH H55° x V20° HV H20° x V55°	80 Ra80 90 Ra90	NS No Shroud AS Angled Glare Shield OS Straight Glare Shield	BK Black WH White GR Gray BZ Bronze Silver	KA Mounting Bracket A KB Mounting Bracket B KC 4.5" Round Cover JB Junction Box SHV High Voltage Ground Stake PJB Tree Strap with Junction Box	HC Honeycomb Louver MR Marine Ambient Corosion Resistant PC Pole Clamp



OUTDOOR LIGHTING LUMINAIRE


DIMENSIONS



SHROUDS



ACCESSORIES





OUTDOOR LIGHTING LUMINAIRE

ACCESSORIES

