

# FL-802MP

**ROC**  
LIGHTING

UPDATED: 08.03.26

## 100-277V MINI DUAL-HEAD OUTDOOR LIGHTING LUMINAIRE

Project \_\_\_\_\_  
Location \_\_\_\_\_  
Quote/ Ref # \_\_\_\_\_

The **FL-802MP** is a miniature dual-head, outdoor LED accent light with multiple beam and shroud options. It can individually rotate 360° and can be tilted 180° allowing for a more precise lighting scheme. Various accessories are available for different mounting options. Made of die-cast aluminum, it is extremely durable to ensure a longer lifetime. Suitable for highlighting small objects or surfaces.



### SPECIFICATIONS

|                     |                          |
|---------------------|--------------------------|
| INPUT VOLTAGE       | 100-277V AC              |
| WATTAGE             | 6W                       |
| HOUSING             | Die-cast Aluminum        |
| GASKET              | Silicone Rubber          |
| FRONT COVER         | Tempered Glass           |
| LED OPTIC           | Polycarbonate Lens       |
| FINISH TYPE         | AkzoNobel Powder Coating |
| DRIVER TYPE         | Constant Current         |
| AMBIENT TEMPERATURE | -20 ~ 45°C (-4 ~ 113°F)  |
| IP RATING           | IP65                     |
| CERTIFICATIONS      | ETL                      |

### FEATURES

- 100-277V AC
- Individually Adjustable, Dual Heads
- 360° Rotate | 180° Tilt
- Die-cast Aluminum Housing
- IP65 Outdoor/ Wet Rated
- Multiple Beam Patterns



| MODEL    | WATTS               | STEM LENGTH  | COLOR TEMP   | OPTICS              | SHROUD                      | FINISH                           | ACCESSORIES                                    |
|----------|---------------------|--------------|--------------|---------------------|-----------------------------|----------------------------------|------------------------------------------------|
| FL-802MP | 6<br>6W<br>(3W x 2) | 18<br>18 in. | 27K<br>2700K | 15<br>15°           | NS<br>No Shroud             | BLK<br>Black<br>(RAL#9011)       | SHV<br>High Voltage<br>Ground Stake            |
|          |                     | 36<br>36 in. | 30K<br>3000K | 25<br>25°           | AS<br>Angled<br>Retractable | WH<br>White<br>(RAL#9016)        | MR<br>Marine Ambient<br>Corrosion<br>Resistant |
|          |                     |              | 40K<br>4000K | 35<br>35°           |                             | GR<br>Gray<br>(RAL#7012)         |                                                |
|          |                     |              | 50K<br>5000K | 3515<br>H35° x V15° |                             | BZ<br>Bronze<br>(Mineral Bronze) |                                                |
|          |                     |              |              |                     |                             | SI<br>Silver<br>(RAL#9006)       |                                                |


# FL-802MP

**ROC**  
LIGHTING

UPDATED: 08.03.26


## 100-277V MINI DUAL-HEAD OUTDOOR LIGHTING LUMINAIRE

### DIMENSIONS




### SHROUDS

AS  
ANGLED RETRACTABLE



### ACCESSORIES

SHV  
HIGH VOLTAGE GROUND STAKE



# FL-802MP

100-277V MINI DUAL-HEAD OUTDOOR LIGHTING LUMINAIRE

COLOR FINISH




RAL-9011  
BLACK




RAL-9016  
WHITE



RAL-7012  
GRAY



MINERAL BRONZE



RAL-9006  
SILVER